

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/540,881	01/18/2006	Kozo Takatsu	274437US0PCT	1795
22850 7590 11/26/2007 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET			EXAMINER	
			SINGH, PREM C	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			1797	
	•		NOTIFICATION DATE	DELIVERY MODE
			11/26/2007	ELECTRONIC

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)			
	10/540,881	TAKATSU ET AL.			
Office Action Summary	Examiner	Art Unit			
	Prem C. Singh	1797			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 18 Ja	nuary 2006.				
2a) This action is <b>FINAL</b> . 2b) ⊠ This	☐ This action is <b>FINAL</b> . 2b)☑ This action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ☐ Claim(s) 1-15 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-15 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	vn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated and any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
<ul> <li>12)  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some * c) None of:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date 09/23/2005.	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate			

Art Unit: 1797

#### **DETAILED ACTION**

## Specification

1. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

#### Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-3 and 6-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Takashi et al (Japanese Patent Abstract No: 2001-278602).

Art Unit: 1797

4. With respect to claim 1, Takashi discloses removal of sulfur compounds from a petroleum system hydrocarbon feed by first contacting the feed with a first adsorbent (it is to be noted that Takashi uses the term "devulcanizing agent" for desulfurization agent) to remove benzothiophenes or dibenzothiophenes and then with a second adsorbent to remove mercaptans, thiophenes, dibenzothiophenes, sulfides, and disulfides (See paragraph 0004 and 0005). Takashi further discloses silica, alumina, silica-alumina, zeolite, titania, zirconia, magnesia, zinc oxide, clay, diatomaceous earth etc. as desulfurizing agent supports. Takashi also discloses that the supports may be used independently or as combinations of two or more (See paragraph 0008). Takashi discloses LPG, gasoline, naphtha, kerosene, and gas oil as the preferred petroleum system hydrocarbons (See paragraph 0008). Takashi also discloses that the second adsorbent could be hydrodesulfurization catalysts such as Co-Mo/Alumina and Ni-Mo/Alumina (See paragraph 0010).

It is to be noted that Takashi invention uses zeolite as the desulfurizing agent A and Co-Mo/Alumina as the second desulfurizing agent B. It is also to be noted that Co-Mo/Alumina is metal oxide/metal component-carried oxide.

5. With respect to claim 2, Takashi does not specifically disclose that the desulfurizing agent A has higher desulfurizing performance to sulfides and disulfides than desulfurizing agent B and desulfurizing agent B has a higher desulfurizing performance to carbonyl sulfide than that of desulfurizing agent A. However, Takashi uses desulfurizing agents (A: zeolite and B: metal oxides) similar to the Applicant's

Art Unit: 1797

claim. Thus, Takashi invention should necessarily be having similar performance of desulfurizing agents A and B as claimed.

- 6. With respect to claim 3, Takashi invention discloses desulfurizing agent to be 40-80% of the total quantity of desulfurizing agents (A and B) (See paragraph 0010).
- 7. With respect to claim 6, Takashi invention discloses metal components Ni, Co, and Mo in desulfurizing agent B (See paragraph 0010).
- 8. With respect to claim 7, Takashi invention discloses temperature of the desulfurizing bed to be from –40 to 100°C (See paragraph 0009).
- 9. With respect to claims 8 and 9, Takashi invention discloses LPG and naphtha fraction as hydrocarbon containing gas for fuel cell (See paragraph 0008).

Takashi invention does not specifically disclose LPG and naphtha containing less than 0.1 weight ppm carbonyl sulfide. However, the invention does disclose that total sulfur content must be below 0.2 weight ppm (See paragraph 0002). Since Takashi's disclosure of total sulfur content includes mercaptans, thiophenes, benzothiophenes, dibenzothiophenes, sulfides, and disulfides (See paragraph 0005), it includes carbonyl sulfide also. When the concentration of all sulfur compounds is below 0.2 weight ppm, clearly, the concentration of carbonyl sulfide must be below 0.1 weight ppm.

Art Unit: 1797

10. With respect to claim 10, Takashi invention discloses desulfurization of LPG and naphtha fraction by using a desulfurizing agent comprising a zeolite (See paragraph 0008).

- 11. With respect to claims 11 and 14, Takashi invention discloses a process for producing hydrogen for a fuel cell by contacting the petroleum system hydrocarbon (LPG, gasoline, naphtha, kerosene) after conducting the desulfurization process of the invention, with a steam reforming catalyst (See paragraph 0012).
- 12. With respect to claims 12 and 15, Takashi invention discloses using ruthenium base or nickel base catalyst for steam reforming (See paragraph 0012).
- 13. With respect to claim 13, Takashi invention discloses using LPG and naphtha fraction as hydrocarbon containing gas for fuel cell (See paragraph 0008).

# Claim Rejections - 35 USC § 103

14. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 1797

15. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 16. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 17. Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takashi et al (Japanese Patent Abstract No: 2001-278602) in view of Satokawa et al (US 2001/0014304 A1).
- 18. With respect to claims 4 and 5, Takashi invention discloses use of zeolite but does not specifically disclose beta or faujasite zeolites. Also, Takashi discloses use of

Group 17 elements with zeolite but does not specifically disclose using claimed metals,

alkali metals, alkaline earth metals, and rare earth metals with zeolite.

Satokawa invention discloses a process for desulfurization of hydrocarbon feed similar to Takashi under similar operating conditions using Y- and beta-zeolites (See page 2, paragraph 0023). Satokawa also discloses that by using one or more transition metals selected from silver, copper, zinc, iron, cobalt, and nickel supported on zeolite improves the adsorption characteristics of sulfur compounds irrespective of the moisture

Thus, it would have been obvious to one skilled in the art at the time the invention was made to modify Takashi invention and use the transition metal supported beta zeolite as the desulfurizing agent A as disclosed by Satokawa for an improved desulfurization.

### Conclusion

19. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Van der Wal et al (US Patent 4, 478, 800).

in the fuel gas (See page 3, paragraph 0030 and 0032).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Prem C. Singh whose telephone number is 571-272-6381. The examiner can normally be reached on 8:00 AM to 4:30 PM.

Art Unit: 1797

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola can be reached on 571-272-1444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/103107

Glenn Caldaroka Supervisory Patent Examina Technology Center 1700